

Apache Built-in Modules

- Asis [\[More Info ↑\]](#)
- Auth Digest [\[More Info ↑\]](#)
- AuthnAlias [\[More Info ↑\]](#)
- AuthnAnon [\[More Info ↑\]](#)
- AuthnDBD [\[More Info ↑\]](#)
- AuthnDBM [\[More Info ↑\]](#)
- AuthnDefault [\[More Info ↑\]](#)
- AuthnzLDAP [\[More Info ↑\]](#)
- AuthzDBM [\[More Info ↑\]](#)
- AuthzOwner [\[More Info ↑\]](#)
- Bucketeer
- Cache [\[More Info ↑\]](#)
- CaseFilter
- CaseFilterIn
- Cern Meta [\[More Info ↑\]](#)
- Charset Lite [\[More Info ↑\]](#)
- DAVFs [\[More Info ↑\]](#)
- DAVLock [\[More Info ↑\]](#)
- DBD [\[More Info ↑\]](#)
- Dav [\[More Info ↑\]](#)

Among other things mod_dav can be used by DAV enabled Frontpage clients instead of FP extensions

- Deflate [\[More Info ↑\]](#)
- Disk Cache [\[More Info ↑\]](#)
- Distcache [\[More Info ↑\]](#)
- Dumpio [\[More Info ↑\]](#)
- Echo [\[More Info ↑\]](#)
- Env [\[More Info ↑\]](#)
- Expires [\[More Info ↑\]](#)
- ExtFilter [\[More Info ↑\]](#)

- Mod FCGID [[More Info ↑](#)]

fastcgi support

- File Cache [[More Info ↑](#)]

- Fileprotect

Prevent Users from reading other webroots

- Frontpage [[More Info ↑](#)]

- Headers [[More Info ↑](#)]

- Ident [[More Info ↑](#)]

- Imagemap [[More Info ↑](#)]

- LDAP [[More Info ↑](#)]

- Log Forensic [[More Info ↑](#)]

- MPM Event [[More Info ↑](#)]

*Before choosing *any* MPM read and understand the documentation that can found by clicking "More Info"*

- MPM Prefork [[More Info ↑](#)]

*(recommended) Before choosing *any* MPM read and understand the documentation that can found by clicking "More Info"*

- MPM Worker [[More Info ↑](#)]

*Before choosing *any* MPM read and understand the documentation that can found by clicking "More Info"*

- MemCache [[More Info ↑](#)]

- Mime Magic [[More Info ↑](#)]

- Optional Fn Export

- Optional Fn Import

- OptionalHookExport

- Optional Hook Import

- Mod SuPHP [[More Info ↑](#)]

This option will make the following changes to your profile prior to the build:

Enables:

CGI (PHP v4)

CGI (PHP v5)

- Proxy [\[More Info ↑\]](#)
- Speling [\[More Info ↑\]](#)
- Uniqueld [\[More Info ↑\]](#)
- Usertrack [\[More Info ↑\]](#)
- Version [\[More Info ↑\]](#)
- Vhost Alias [\[More Info ↑\]](#)

[Back to top](#)

Other Modules

- EAccelerator for PHP [\[More Info ↑\]](#)
v0.9.5.2 - caches compiled PHP pages ONLY when running in a persistent (DSO/FCGID) manner
- IonCube Loader for PHP [\[More Info ↑\]](#)
3.1.32 - please read documentation that can found by clicking "More Info" to fully understand this option
- Mod Bandwidth [\[More Info ↑\]](#)
v2.1 for Apache 1.3, v0.8 for Apache 2.x - see documentation that can found by clicking "More Info" for details
- Mod Mono [\[More Info ↑\]](#)
v1.2.6 - Experts ONLY: Do not install this unless you have a mono admin
- Mod Perl [\[More Info ↑\]](#)
v2.0.4 - not needed to run CGI scripts
- Mod Security [\[More Info ↑\]](#)
v1.9.5 for Apache 1.3, v2.1.4 for Apache 2.x This option will make the following changes to your profile prior to the build:
Enables:
Uniqueld
- Suhosin for PHP [\[More Info ↑\]](#)
v0.9.23 - please read documentation that can found by clicking "More Info" to fully understand this option

- SourceGuardian Loader for PHP [\[More Info ↑\]](#)
7.0.1 - please read documentation that can found by clicking "More Info" to fully understand this option

- Zend Optimizer for PHP [\[More Info ↑\]](#)
3.3.3 - please read documentation that can found by clicking "More Info" to fully understand this option

PHP 5.2.5 (Be sure to "[harden](#)" [your PHP](#) since PHP has many security issues)

For more information about PHP configuration, capabilities, and limitations please see <http://www.php.net>.

Options in this color are enabled by default in php 5.2.5. That means that you won't see anything added to php's configure line unless it is unchecked.

- Bcmath [\[More Info ↑\]](#)
- Bz2 [\[More Info ↑\]](#)
- CGI [\[More Info ↑\]](#)
- Calendar [\[More Info ↑\]](#)
- Curl [\[More Info ↑\]](#)
- CurlSSL [\[More Info ↑\]](#)
- Curlwrappers [\[More Info ↑\]](#)
- Dbase [\[More Info ↑\]](#)
- Discard Path
may interfere with running PHP as CGI

- Exif [\[More Info ↑\]](#)
- FTP [\[More Info ↑\]](#)
- Fastcgi
This option will make the following changes to your profile prior to the build:
Enables:
Mod FCGID

- Force CGI Redirect [\[More Info ↑\]](#)
- GD [\[More Info ↑\]](#)
- Gettext [\[More Info ↑\]](#)

Iconv [\[More Info ↑\]](#)

Support iconv character set conversion facility

Imap [\[More Info ↑\]](#)

MM [\[More Info ↑\]](#)

Magic Quotes [\[More Info ↑\]](#)

MailHeaders [\[More Info ↑\]](#)

Mbregex

Mbstring [\[More Info ↑\]](#)

Mcrypt [\[More Info ↑\]](#)

Mhash [\[More Info ↑\]](#)

Mime Magic [\[More Info ↑\]](#)

Ming [\[More Info ↑\]](#)

(Not Recommended due to various problems) using ming library 0.3.0

Mysql [\[More Info ↑\]](#)

compile mysql support against php bundled libraries (if the system mysql is checked it takes precedence of this option)

Mysql of the system [\[More Info ↑\]](#)

compile mysql (and mysqli if its checked) support against the system libraries

MySQL "Improved" extension. [\[More Info ↑\]](#)

MySQLi does not replace the standard MySQL extension. Requires MySQL 4.1 or later. !! mysqli may not work on all systems, contact your support provider for mysqli support !!

Openssl [\[More Info ↑\]](#)

PDO [\[More Info ↑\]](#)

*(UNSUPPORTED EXPERIMENTAL) Includes SQLite support. Other drivers (freetds, oracle, etc) can be installed with PECL. If you use rawopts to add them during compile then you will have to have them '=shared' and *NOT* do the PHP "versioning" option. Custom opt mods for PDO extensions should also do the "versioning" logic this one does.*

PDO MySQL [\[More Info ↑\]](#)

This option will make the following changes to your profile prior to the build:

*Enables:
PDO*

POSIX [[More Info ↑](#)]

Path Info Check

Pear [[More Info ↑](#)]

PGsql [[More Info ↑](#)]

Requires PostgreSQL 7.3 or higher to already be installed. You can do that with /scripts/installpostgres

Pspell [[More Info ↑](#)]

SNMP [[More Info ↑](#)]

Requires the SNMP Dev libraries to be installed first!!!

SOAP [[More Info ↑](#)]

SafeMode [[More Info ↑](#)]

Safe PHP CGI

prevents users from overriding system php.ini

Sockets [[More Info ↑](#)]

TTF (FreeType) [[More Info ↑](#)]

Tidy [[More Info ↑](#)]

Wddx [[More Info ↑](#)]

XSL [[More Info ↑](#)]

XmlRPC [[More Info ↑](#)]

Zend Multibyte

Zip [[More Info ↑](#)]

Zlib [[More Info ↑](#)]

Requires that zlib is installed and up to date

Save my profile with appropriate PHP 5 options set so that it is compatible with cphp

This option will make the following changes to your profile prior to the build:

Enables:

CurlSSL

FTP

GD

Gettext

Imap

Mbstring

Mysql

Mysql of the system

PGsql

Sockets

Zlib

Disables:

Iconv

Preferences

- Always do latest PHP (forces newest minor version of any major versions chosen)
- Archive Backup (this session only)
- After each "post restart" test check that apache is still running
- If httpd.conf generation fails or apache can not be restarted after conf generation, leave build in-place so I can manually resolve httpd.conf issues.
- Report Errors to cPanel
- Reset Apache Config to default - any customizations will be lost (this session only)

[koniec]